This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

ş.

locuments submitted by a first checked:
Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
SKEWED/SLANTED IMAGES
COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER:

IMAGES ARE BEST AVAILABIÆ COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	76		USPAT;	2004/10/20 14:24
		modif\$9) near9 (url http) near9 (file adj	US-PGPUB;	
		system\$5)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	1	1 (000)	USPAT;	2004/10/20 14:25
		near9 (file adj system\$5)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;]
			IBM_TDB	
3	1	(compress\$5 decompress\$5) with (url http)	USPAT;	2004/10/20 14:26
		with (file adj system\$5)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/10/00 14:05
4	1093	(compress\$5 decompress\$5) with (url http	USPAT;	2004/10/20 14:35
		(file adj system\$5))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	2000	//700/000) /700/017)	IBM_TDB USPAT	2004/10/20 14:36
5	3092	((709/229) or (709/217) or	USPAT	2004/10/20 14:36
	1.0	(709/247)).CCLS.	USPAT	2004/10/20 14:36
6	10	1 , , , , , , , , , , , , , , , , , , ,	USPAT	2004/10/20 14:36
		(709/247)).CCLS.) and ((chang\$5 conver\$9		
		translat\$9 transform\$5 modif\$9) near9 (url		
		http) near9 (file adj system\$5))	L	

L Nur	mber	Hits		DB	Time stamp
1		0	set adj space\$3 adj buffering	USPAT	2004/10/20 10:51
2	:	34	space\$3 adj buffering	USPAT	2004/10/20 11:22
3		0	(conver\$9 reconver\$9) with (ftp) with	USPAT;	2004/10/20 11:22
			(file adj system\$3)	US-PGPUB;	
				EPO; JPO;	
				DERWENT;	
_		100	/	IBM_TDB USPAT;	2004/10/20 11:23
5		100	(conver\$9 translat\$9 chang\$6 modif\$9 transform\$9 reconver\$9) with (ftp) with	US-PGPUB;	2004/10/20 11.23
			(file adj system\$3)	EPO; JPO;	
			(life ad) System(3)	DERWENT;	
				IBM TDB	`
6		97	(conver\$9 translat\$9 chang\$6 modif\$9	USPAT;	2004/10/20 11:33
*		•	transform\$9 reconver\$9) near9 (ftp) near9	US-PGPUB;	
			(file adj system\$3)	EPO; JPO;	
				DERWENT;	
				IBM_TDB	
4		4		USPAT;	2004/10/20 11:39
			reconver\$9) with (ftp) with (file adj	US-PGPUB;	
			system\$3)	EPO; JPO;	
				DERWENT;	
-	i	202	/5tm/ manno /5:10 addt62/	IBM_TDB USPAT;	2004/10/20 11:37
7		303	(ftp) near9 (file adj system\$3)	USPAT; US-PGPUB;	2004/10/20 11:3/
				EPO; JPO;	
			,	DERWENT;	
				IBM TDB	
8		958	((file adj transfer adj protocol\$5) ftp)	USPAT;	2004/10/20 11:38
*			near9 remot\$5	US-PGPUB;	
			·	EPO; JPO;	
				DERWENT;	
				IBM_TDB	
9		343	((file adj transfer adj protocol\$5) ftp)	USPAT;	2004/10/20 11:38
			near3 remot\$5	US-PGPUB;	
				EPO; JPO;	
				DERWENT; IBM TDB	
12		٥	(conver\$9 translat\$9 modif\$9 transform\$9	USPAT;	2004/10/20 11:41
12		٥	reconver\$9) with (ftp) with ((file adj	US-PGPUB;	2004/10/20 11:41
			system\$3) unix)	EPO; JPO;	
				DERWENT;	
			. *	IBM_TDB	
-	ļ	0	(chang\$5 conver\$9 translat\$9 transform\$5	USPAT;	2004/10/20 10:51
	i		modif\$9) near9 (file\$3 near read near	US-PGPUB;	
			request\$5) near9 (http near request\$5)	EPO; JPO;	
				DERWENT;	
_		ا ۾	 (chang\$5 conver\$9 translat\$9 transform\$5	IBM_TDB USPAT;	2004/10/18 16:24
-		4	modif\$9) near9 (file\$3 near request\$5)	US-PGPUB;	2004/10/10 10:24
	1		near9 (http near request\$5)	EPO; JPO;	
				DERWENT;	
	}			IBM TDB	
-		4	(chang\$5 conver\$9 translat\$9 transform\$5	USPAT;	2004/10/18 16:27
1			modif\$9) near9 (file\$3 near request\$5)	US-PGPUB;	
			near9 (http	EPO; JPO;	
]			DERWENT;	
				IBM_TDB	0004/10/10 15 55
-	l	24	(chang\$5 conver\$9 translat\$9 transform\$5	USPAT;	2004/10/18 16:36
[modif\$9) near9 (file\$3 near request\$5)	US-PGPUB;	
1			<pre>near9 (http transfer\$5 near (protocol\$5 get request\$5))</pre>	EPO; JPO; DERWENT;	
			get requestys//	IBM TDB	
_		3	(chang\$5 conver\$9 translat\$9 transform\$5	USPAT;	2004/10/18 16:38
		۱	modif\$9) near9 (file\$3 near (open\$3	US-PGPUB;	,,,,,,,,,
	l		read\$5)) near9 ((http transfer\$5) near	EPO; JPO;	
	ĺ		(protocol\$5 get request\$5))	DERWENT;	
L				IBM_TDB	

1					0004/40/40 47 00
request\$5 read\$5) near9 ((http transfer\$5) rear (protocol\$5 get request\$5)) rear (protocol\$5 get request\$5) rear (protocol\$5 get request\$5) rear (protocol\$5 get request\$6 decompress\$9) near file\$3] -	16		USPAT;	2004/10/18 17:22
transfer\$5 near (protocol\$5 get request\$5) 1 ("618573").N. 18M TOB 18M	1		modif\$9) near9 (file\$3 near (open\$3	· ·	
Tequest\$\$)			request\$5 read\$5)) near9 ((http	EPO; JPO;	
1 ("618573").PN. USPAT USP			transfer\$5) near (protocol\$5 get	·	}
2004/10/18 17:23					
	-			USPAT	
	-	895	(compress\$6 decompress\$9) near3 file\$3	USPAT;	2004/10/18 17:23
- 73 ((compress\$6 decompress\$9) near file\$3) with ((set adj top\$3) set-top\$3 pda hand-held\$3 handheld\$3 portable\$5)	,		near3 system\$3	US-PGPUB;	
TIM TOB			· ·	EPO; JPO;	
12				DERWENT;	!
With ((set ad) top\$3) set-top\$3 pda Name			·	IBM TDB	
### with ((set adj top\$3) set-top\$3 pda hand-held\$3 handheld\$3 portable\$5) - 12 ((compress\$6 decompress\$9) near file\$3)	_	73	((compress\$6 decompress\$9) near file\$3)	USPAT;	2004/10/18 17:24
hand-held\$3 handheld\$3 portable\$5)			with ((set adi top\$3) set-top\$3 pda		
- 12 ((compress\$6 decompress\$9) near file\$3) USPAT; uspectible for (server\$5) with ((set adj top\$3) set-top\$3 pda hand-held\$3 handheld\$3 portable\$5) with (server\$5) USPAT; uspectible for (server\$5) uspation\$3 adj request\$3 adj file\$5 USPAT; uspatible for (server\$5) uspation\$3 adj request\$3 adj file\$5 USPAT; uspatible for (server\$6) near2 transfer\$5 uspatible for (server\$6) near9 (file near3 system\$5) uspation\$7; uspatible for (server\$6) near9 (file near3 system\$5) uspation\$8; uspation\$8; uspation\$8; uspation\$8; uspation\$9; uspat				EPO; JPO;	
12			•	DERWENT;	
with ((set ad) top\$3) set-top\$3 pda hand-held\$3 handheld\$3 portable\$5) with (server\$5)				IBM TDB	
with ((set ad) top\$3) set-top\$3 pda hand-held\$3 handheld\$3 portable\$5) with (server\$5)	_	12	((compress\$6 decompress\$9) near file\$3)	USPAT:	2004/10/18 17:31
hand-held\$3 handheld\$3 portable\$5) with (server\$5)				•	
Server\$5 SERVENT;			hand-held\$3 handheld\$3 portable\$5) with		
Application\$3 adj request\$3 adj file\$5					
- 40 application\$3 adj request\$3 adj file\$5			1,552.752.707		
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USP	l _	40	application\$3 add request\$3 add file\$5	_	2004/10/18 17:40
- 2 application\$3 adj request\$3 adj file\$5	"	"	apprioaciones and requestes and rivels	,	
- 2 application\$3 adj request\$3 adj file\$5				-]
- 2 application\$3 adj request\$3 adj file\$5					
- 2 application\$3 adj request\$3 adj file\$5 USPĀT; US-PGPUB; EPO; JPO; DERWENT; near2 (open read\$3) - 21 application\$3 near request\$3 near file\$5 USPĀT; US-PGPUB; EPO; JPO; DERWENT; near2 (open read\$3) - 2 (conver\$6) near9 (file near3 system\$5) USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB USPĀT; USPĀT; USPĀT; USPĀT; USPĀT; USPĀT USPĀT 2004/10/19 16:26 - 4 (("6519626") or ("6381615") or ("6356863") or ("6195626")).PN. USPĀT 2004/10/19 17:47 - 2 ("6519626") or ("6381615") DRA USPĀT 2004/10/19 17:45 - 3 (file adj system\$3) near9 block\$5 with ((http web ftp) adj server\$5) - 3 (file adj system\$3) mear9 block\$5 same ((http web ftp) adj server\$5) - 210 ((file adj system\$3) mear9 block\$5) and USPĀT 2004/10/19 17:47	1				
Near2 transfer\$5			limation(2 add magnet(2 add file(5		2004/10/19 17.42
21 application\$3 near request\$3 near file\$5 near2 (open read\$3)	-				2004/10/16 17:43
- 21 application\$3 near request\$3 near file\$5			nearz transierss	-	
December	1				
- 21 application\$3 near request\$3 near file\$5					
near2 (open read\$3)			11 11 10 10 10 10 10 10 10 10 10 10 10 1		0004/10/10 14 04
EPG; JPG; DERWENT; IEM TDB USPĀT; US-PGPUB; EPG; JPG; DERWENT; IEM TDB USPĀT US-PGPUB; EPG; JPG; DERWENT; IEM TDB USPĀT USPĀT 2004/10/19 16:47 or ("6195622")).PN. - 4 (("6519626") or ("6381615") or ("6356863") or ("6438610")).PN 2 ("6519626" "6654794").pn. and correspond\$9 ("59ĀT 2004/10/19 16:56 USPĀT 2004/10/19 17:43 ("6112 adj system\$3) near9 block\$5 with (http web ftp) adj server\$5) - 33 (file adj system\$3) with block\$5 same (http web ftp) adj server\$5) - (http web ftp) adj server\$5) and USPĀT 2004/10/19 17:45	-	21			2004/10/19 14:34
- 2 (conver\$6) near9 (file near3 system\$5) near9 (http) - 63 (conver\$6) near9 (file) near9 (http) - 63 (conver\$6) near9 (file) near9 (http) - 5 (conver\$6) near9 (file near (format\$5 USPAT; block\$5 system\$5) near9 (http) - 517 (file adj system\$3) near9 dos - 4 (("6519626") or ("6381615") or ("6356863") or ("6195622")).PN. - 2 ("6519626" (6654794").pn. and correspond\$9 ("6519626" "6654794").pn. - 191 (file adj system\$3) near9 block\$5 USPAT - 191 (file adj system\$3) near9 block\$5 USPAT - 2 ("6519626" "6654794").pn. - 3 (file adj system\$3) near9 block\$5 USPAT - 3 (file adj system\$3) near9 block\$5 USPAT - 2 ("6195620") or ("6438610")).PN. - 3 (file adj system\$3) near9 block\$5 USPAT - 191 (file adj system\$3) near9 block\$5 same ((http web ftp) adj server\$5) - 3 (file adj system\$3) with block\$5 same ((http web ftp) adj server\$5) ((file adj system\$3) near9 block\$5 and - 2004/10/19 17:45	1		near2 (open read\$3)	1	
TBM_TDB USPAT US					
- 2 (conver\$6) near9 (file near3 system\$5) USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT USPĀT 2004/10/19 16:26 ("6519626") or ("6381615") or ("6356863") or ("6438610")).PN. USPĀT 2004/10/19 16:56 ("6185733") or ("6438610")).PN. USPĀT 2004/10/19 17:43 (file adj system\$3) near9 block\$5 with ((http web ftp) adj server\$5) (USPĀT 2004/10/19 17:45 ((http web ftp) adj server\$5) and USPĀT 2004/10/19 17:45 ((http web ftp) adj server\$5) and USPĀT 2004/10/19 17:45	i			-	
near9 (http)					0004/10/10 15 05
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; ISM TDB US-PGPUB; EPO; JPO; DERWEN	- .	2	(converse) near9 (file near3 systems5)		2004/10/19 15:37
- 63 (conver\$6) near9 (file) near9 (http) - 5 (conver\$6) near9 (file near (format\$5 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; DOWN/10/19 16:23 - 5 (conver\$6) near9 (file near (format\$5 USPAT; DERWENT; IBM_TDB USPAT; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT ("6519626") or ("6381615") or ("6356863") USPAT 2004/10/19 16:47 or ("6195622")).PN. - 4 (("6519626" "6654794").pn. and correspond\$9 USPAT 2004/10/19 16:56 ("6519626" "6654794").pn. and correspond\$9 USPAT 2004/10/19 17:43 (file adj system\$3) near9 block\$5 with (http web ftp) adj server\$5) (file adj system\$3) near9 block\$5 same (http web ftp) adj server\$5) (file adj system\$3) near9 block\$5 and USPAT 2004/10/19 17:45 (http web ftp) adj server\$5) (file adj system\$3) near9 block\$5 and USPAT 2004/10/19 17:45			near9 (http)		
- 63 (conver\$6) near9 (file) near9 (http) - 5 (conver\$6) near9 (file near (format\$5 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT - 4 (("6519626") or ("6381615") or ("6356863") or ("6195622")).PN. - 2 ("6519626" "6654794").pn. and correspond\$9 USPĀT 2004/10/19 16:56 204 ("6185733") or ("6438610")).PN. - 1 2 ("6185733") or ("6438610")).PN. - 2 (file adj system\$3) near9 block\$5 USPĀT 2004/10/19 17:43 ((http web ftp) adj server\$5) - 33 (file adj system\$3) with block\$5 same ((http web ftp) adj server\$5) - ((file adj system\$3) near9 block\$5 and USPĀT 2004/10/19 17:45					
- 63 (conver\$6) near9 (file) near9 (http) - 5 (conver\$6) near9 (file near (format\$5 US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT - 4 (("6519626") or ("6381615") or ("6356863") or ("6195622")).PN. - 2 ("6519626" "6654794").pn. and correspond\$9 USPĀT 2004/10/19 16:56					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; E					0004/10/10 15 05
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT USPAT USPAT 2004/10/19 16:26 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT 2004/10/19 16:26 USPAT 2004/10/19 16:47 USPAT 2004/10/19 16:56 USPAT 2004/10/19 17:43 USPAT 2004/10/19 17:47 2 (file adj system\$3) near9 block\$5 USPAT 2004/10/19 17:47 2 (file adj system\$3) near9 block\$5 with (Nttp web ftp) adj server\$5) USPAT 2004/10/19 17:45 ((http web ftp) adj server\$5) ((file adj system\$3) near9 block\$5 ame (USPAT 2004/10/19 17:45 ((http web ftp) adj server\$5) ((file adj system\$3) near9 block\$5 and USPAT 2004/10/19 17:47	-	63	(converse) neary (file) neary (http)		2004/10/19 15:37
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT Or ("6195626") or ("6381615") or ("6356863") Or ("6195622")).PN. USPAT USPAT Or ("6195622")).PN. USPAT				1	
- 5 (conver\$6) near9 (file near (format\$5 block\$5 system\$5)) near9 (http) - 517 (file adj system\$3) near9 dos - 517 (file adj system\$3) near9 dos - 4 (("6519626") or ("6381615") or ("6356863") or ("6195622")).PN. - 2 ("6519626" "6654794").pn. and correspond\$9 or ("6195622")).PN. - 3 (("6185733") or ("6438610")).PN. - 191 (file adj system\$3) near9 block\$5 - 191 (file adj system\$3) near9 block\$5 - 191 (file adj system\$3) with block\$5 same (http web ftp) adj server\$5) - 191 ((file adj system\$3) near9 block\$5) and - 191 ((file adj system\$3) near9 block\$5) and - 191 ((file adj system\$3) near9 block\$5) and	[•		
- 5 (conver\$6) near9 (file near (format\$5 block\$5 system\$5)) near9 (http) - 517 (file adj system\$3) near9 dos - 517 (file adj system\$3) near9 dos - ("6519626") or ("6381615") or ("6356863") or ("6195622")).PN. - 2 ("6519626" "6654794").pn. and correspond\$9 creation or ("6185733") or ("6438610")).PN. - 2 ("6185733") or ("6438610")).PN. - 31 (file adj system\$3) near9 block\$5 creation or ("619 adj server\$5) - 33 (file adj system\$3) with block\$5 same (http web ftp) adj server\$5) - (file adj system\$3) near9 block\$5 and (USPAT (SPAT (SPA	j				
block\$5 system\$5)) near9 (http) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB Or ("6195622")).PN. ("6519626") or ("6381615") or ("6356863") or ("6195622")).PN. ("6519626" "6654794").pn. and correspond\$9 USPĀT USPĀT USPĀT USPĀT USPĀT 2004/10/19 16:56 USPĀT 2004/10/19 17:43 USPĀT 2004/10/19 17:43 USPĀT 2004/10/19 17:45 (file adj system\$3) near9 block\$5 USPĀT 2004/10/19 17:45 ((http web ftp) adj server\$5) ((http web ftp) adj server\$5) ((file adj system\$3) near9 block\$5) and USPĀT 2004/10/19 17:45			(1		0004/10/10 10 00
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT 2004/10/19 16:26 ("6519626") or ("6381615") or ("6356863") Or ("6195622")).PN. 2 ("6519626" "6654794").pn. and correspond\$9 USPAT 2004/10/19 16:56 ("6185733") or ("6438610")).PN. 1191 (file adj system\$3) near9 block\$5 USPAT 2004/10/19 17:43 (file adj system\$3) near9 block\$5 WITH USPAT 2004/10/19 17:47 (file adj system\$3) near9 block\$5 with (http web ftp) adj server\$5) 33 (file adj system\$3) with block\$5 same (http web ftp) adj server\$5) (file adj system\$3) near9 block\$5 and USPAT 2004/10/19 17:45 (http web ftp) adj server\$5)	-	5			2004/10/19 16:23
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT 4 (("6519626") or ("6381615") or ("6356863") or ("6195622")).PN. 2 ("6519626" "6654794").pn. and correspond\$9 (("6185733") or ("6438610")).PN. 2 (("6185733") or ("6438610")).PN. 1191 (file adj system\$3) near9 block\$5 ((http web ftp) adj server\$5) 33 (file adj system\$3) near9 block\$5 same ((http web ftp) adj server\$5) ((file adj system\$3) near9 block\$5) and USPAT 2004/10/19 17:45 ((http web ftp) adj server\$5) 210 ((file adj system\$3) near9 block\$5) and USPAT 2004/10/19 17:45	[plockso systemso)) neary (http)	1	
- 517 (file adj system\$3) near9 dos]				
- 517 (file adj system\$3) near9 dos					
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT 2004/10/19 16:47 or ("6195622")).PN. 2 ("6519626" "6654794").pn. and correspond\$9 2 (("6185733") or ("6438610")).PN. 3 (file adj system\$3) near9 block\$5 4 (("6185733") or ("6438610")).PN. 5 USPAT 2004/10/19 17:43 5 USPAT 2004/10/19 17:43 6 USPAT 2004/10/19 17:45 6 (http web ftp) adj server\$5) 6 USPAT 2004/10/19 17:45 7 (file adj system\$3) near9 block\$5 with 2004/10/19 17:45 8 (http web ftp) adj server\$5) 9 USPAT 2004/10/19 17:45 9 USPAT 2004/10/19 17:45 9 USPAT 2004/10/19 17:45 9 USPAT 2004/10/19 17:45	[(61)14		2004/10/10 10 00
EPO; JPO; DERWENT; IBM TDB (("6519626") or ("6381615") or ("6356863") Or ("6195622")).PN. ("6519626" "6654794").pn. and correspond\$9 (("6185733") or ("6438610")).PN. (file adj system\$3) near9 block\$5 USPAT 2004/10/19 17:43 (file adj system\$3) near9 block\$5 USPAT 2004/10/19 17:47 (file adj system\$3) near9 block\$5 with USPAT 2004/10/19 17:45 ((http web ftp) adj server\$5) (file adj system\$3) with block\$5 same USPAT 2004/10/19 17:45 ((http web ftp) adj server\$5) (file adj system\$3) near9 block\$5) and USPAT 2004/10/19 17:45	-	517	(Ille adj system\$3) near9 dos		2004/10/19 16:26
DERWENT; IBM_TDB (("6519626") or ("6381615") or ("6356863") or ("6195622")).PN. ("6519626" "6654794").pn. and correspond\$9 (("6185733") or ("6438610")).PN. (file adj system\$3) near9 block\$5 USPAT 2004/10/19 17:43 (file adj system\$3) near9 block\$5 USPAT 2004/10/19 17:47 (file adj system\$3) near9 block\$5 with USPAT 2004/10/19 17:45 ((http web ftp) adj server\$5) 33 (file adj system\$3) with block\$5 same USPAT 2004/10/19 17:45 ((http web ftp) adj server\$5) 210 ((file adj system\$3) near9 block\$5) and USPAT 2004/10/19 17:47					
- 4 (("6519626") or ("6381615") or ("6356863") or ("6195622")).PN. - 2 ("6519626" "6654794").pn. and correspond\$9 - 2 (("6185733") or ("6438610")).PN. - 191 (file adj system\$3) near9 block\$5 - 2 (file adj system\$3) near9 block\$5 USPAT - 2 (file adj system\$3) near9 block\$5 USPAT - 2 (file adj system\$3) with block\$5 with - 33 (file adj system\$3) with block\$5 same - 34 ((http web ftp) adj server\$5) - 35 ((file adj system\$3) near9 block\$5) and - 2004/10/19 17:45					
- 4 (("6519626") or ("6381615") or ("6356863") USPĀT 2004/10/19 16:47 or ("6195622")).PN. - 2 ("6519626" "6654794").pn. and correspond\$9 USPĀT 2004/10/19 16:56 (("6185733") or ("6438610")).PN. USPĀT 2004/10/19 17:43 191 (file adj system\$3) near9 block\$5 USPĀT 2004/10/19 17:47 (file adj system\$3) near9 block\$5 with (USPĀT 2004/10/19 17:45 ((http web ftp) adj server\$5) - 33 (file adj system\$3) with block\$5 same (SPĀT 2004/10/19 17:45 ((http web ftp) adj server\$5) 210 ((file adj system\$3) near9 block\$5) and USPĀT 2004/10/19 17:47					
or ("6195622")).PN. ("6519626" "6654794").pn. and correspond\$9 (("6185733") or ("6438610")).PN. (file adj system\$3) near9 block\$5 USPAT 2004/10/19 17:43 (file adj system\$3) near9 block\$5 USPAT 2004/10/19 17:47 ((http web ftp) adj server\$5) 33 (file adj system\$3) with block\$5 same USPAT 2004/10/19 17:45 ((http web ftp) adj server\$5) ((http web ftp) adj server\$5) 210 ((file adj system\$3) near9 block\$5) and USPAT 2004/10/19 17:47			(11664.060611) (116004.64511) (1160-64511)		
- 2 ("6519626" "6654794").pn. and correspond\$9 USPAT 2004/10/19 16:56 ("6185733") or ("6438610")).PN. USPAT 2004/10/19 17:43 (file adj system\$3) near9 block\$5 USPAT 2004/10/19 17:47 (file adj system\$3) near9 block\$5 with (SPAT 2004/10/19 17:45 (http web ftp) adj server\$5) (file adj system\$3) with block\$5 same (SPAT 2004/10/19 17:45 (http web ftp) adj server\$5) (file adj system\$3) near9 block\$5) and USPAT 2004/10/19 17:47	-	4		USPAT	2004/10/19 16:47
- 2 (("6185733") or ("6438610")).PN. USPAT 2004/10/19 17:43 - 1191 (file adj system\$3) near9 block\$5 USPAT 2004/10/19 17:47 - 2 (file adj system\$3) near9 block\$5 with (http web ftp) adj server\$5) - 33 (file adj system\$3) with block\$5 same (http web ftp) adj server\$5) - 210 ((file adj system\$3) near9 block\$5) and USPAT 2004/10/19 17:47]	_			0004/00/00 00 0
- 1191 (file adj system\$3) near9 block\$5 USPAT 2004/10/19 17:47 (file adj system\$3) near9 block\$5 with (SPAT 2004/10/19 17:45 ((http web ftp) adj server\$5) - 33 (file adj system\$3) with block\$5 same (SPAT 2004/10/19 17:45 ((http web ftp) adj server\$5) - 210 ((file adj system\$3) near9 block\$5) and USPAT 2004/10/19 17:47	-			1	
- 2 (file adj system\$3) near9 block\$5 with (http web ftp) adj server\$5) - 33 (file adj system\$3) with block\$5 same (http web ftp) adj server\$5) - 210 ((file adj system\$3) near9 block\$5) and USPAT 2004/10/19 17:45	-	_			
((http web ftp) adj server\$5) - 33 (file adj system\$3) with block\$5 same USPAT 2004/10/19 17:45 ((http web ftp) adj server\$5) - 210 ((file adj system\$3) near9 block\$5) and USPAT 2004/10/19 17:47	ļ -				
- 33 (file adj system\$3) with block\$5 same USPAT 2004/10/19 17:45 ((http web ftp) adj server\$5) - 210 ((file adj system\$3) near9 block\$5) and USPAT 2004/10/19 17:47	-	2		USPAT	2004/10/19 17:45
((http web ftp) adj server\$5) - 210 ((file adj system\$3) near9 block\$5) and USPAT 2004/10/19 17:47					
- 210 ((file adj system\$3) near9 block\$5) and USPAT 2004/10/19 17:47	-	33		USPAT	2004/10/19 17:45
709/\$.ccls.	-	210		USPAT	2004/10/19 17:47
	L		709/\$.ccls.		



Subscribe (Full Service) Register (Limited Service, Free) Login

Search:

The ACM Digital Library O The Guide

+convert* +reconver* +file +system +ftp +http

SEARCH



Feedback Report a problem Satisfaction <u>surv</u>ey

Published before June 2000 Terms used convert reconver file system ftp http

Found 1 of 104,120

Relevance scale

Sort results by

Display

results

relevance expanded form

Save results to a Binder 3 Search Tips Open results in a new

window

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 1 of 1

1 The use of multithreading for exception handling

Craig B. Zilles, Joel S. Emer, Gurindar S. Sohi

November 1999 Proceedings of the 32nd annual ACM/IEEE international symposium on **Microarchitecture**

Full text available: pdf(1.49 MB) Publisher Site

Additional Information: full citation, abstract, references, citings, index terms

Common hardware exceptions, when implemented by trapping, unnecessarily serialize program execution in dynamically scheduled superscalar processors. To avoid the consequences of trapping the main program thread, multithreaded CPUs can exploit control and data independence by executing the exception handler in a separate hardware context. The main thread doesn't squash instructions after the excepting instruction, conserving fetch bandwidth and allowing execution of instructions inde ...

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2004 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player

Print Format

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Rembership Publi	RELEASE 1.8
Help FAQ Terms	IEEE Peer Review Quick Links Se.
Welcome to IEEE Xplore Home What Can I Access? Log-out	Your search matched 0 of 1082760 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Relevance Descending order. Refine This Search:
Tables of Contents	You may refine your search by editing the current search expression or entering
O- Journals & Magazines	new one in the text box. convert* <and>ftp <and>file system Search*</and></and>
O- Conference	☐ Check to search within this result set
Proceedings - Standards	Results Key: JNL = Journal or Magazine CNF = Conference STD = Standard
Search	JAL = Journal of Flagazine City = Conference D.D = Standard
O- By Author O- Basic O- Advanced O- CrossRef	Results: No documents matched your query.
Member Services	
O- Join IEEE O- Establish IEEE Web Account O- Access the IEEE Member Digital Library	
O- Access the IEEE Enterprise File Cabinet	

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved



Web Images Groups News Froogle more »

(convert reconvert translate transform) "file sys



Advanced Search Preferences

Web Results 1 - 7 of about 21 for (convert reconvert translate transform) "file system" http ftp. (0.46 secon

The Linux Home Page in the UK

... to digital signals for transmission and **reconvert** signals upon ... **convert** C++ comments to C comments From whatis. ... as "int (*foo[5])()" It can also **translate** the C ... linux.co.uk/manuals/dictionary/c.html - <u>Similar pages</u>

[PDF] 485 INDEX

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> ... like objects, 36–37 file-like objects, 15–17 **FTP** (file transfer ... STDOUT (standard output stream), 51 temporary, 71 update mode, 80 **File system** services, 102 ... www.awprofessional.com/content/ images/0321112547/index/mertzindex.pdf - Similar pages

Ca programming language designed by Dennis Ritchie during the ...

File Format: Unrecognized - <u>View as HTML</u>
... to digital signals for transmission and **reconvert** signals upon ... data From Debian
3.0r0 APT ccmtcnvt **convert** C++ comments ... foo[5])()" It can also **translate** the C ...
cvsview.tldp.org/index.cgi/*checkout*/ LDP/guide/docbook/Linux-Dictionary/edC.xml?rev=1.3 - Supplemental
Result - Similar pages

Ca programming language designed by Dennis Ritchie during the ...

File Format: Unrecognized - <u>View as HTML</u>
... to digital signals for transmission and **reconvert** signals upon ... Debian 3.0r0 APT ccmtcnvt **convert** C++ comments ... utilities, which are used to **translate** English to ... cvsview.tldp.org/index.cgi/*checkout*/ LDP/guide/docbook/Linux-Dictionary/edC.xml?rev=1.2 - Supplemental Result - <u>Similar pages</u>

Linux.com - C

... to digital signals for transmission and **reconvert** signals upon ... **convert** C++ comments to C comments From whatis. ... utilities, which are used to **translate** English to ... www.linux.com/quides/Linux-Dictionary/c.shtml - 101k - Cached - Similar pages

[PS] Python Library Reference

File Format: Adobe PostScript - <u>View as Text</u> ... 205 11.4 ftplib -- FTP protocol client 222 11.13 BaseHTTPServer -- Basic HTTP server 248 12.12 binascii -- Convert between binary and ascii shamir.ebizlab.hit.bme.hu/ docs/programming/Python/psdoc/lib.ps - Similar pages

[PS] Linux Dictionary Version 0.12 Author: Binh Nguyen File Format: Adobe PostScript - View as Text

... It is externely small, yet functional, and provides HTTP and FTP services out ... package contains the programs `abc2midi' and `midi2abc', which convert from the ... public.planetmirror.com/pub/ldp/ LDP/Linux-Dictionary/Linux-Dictionary.ps.gz - Supplemental Result - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 7 already displayed.

If you like, you can repeat the search with the omitted results included.

Free! Get the Google Toolbar. <u>Download Now</u> - <u>About Toolbar</u>



(convert reconvert translate transford Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google



Web Groups <u>News</u> Froogle more » **Images**

(convert reconvert translate transform) "file sys



Advanced Search

Web Results 1 - 5 of about 21 for (convert reconvert translate transform) "file system" network protocol (

[PDF] <u>485 INDEX</u>

File Format: PDF/Adobe Acrobat - View as HTML

... 15-17 FTP (file transfer protocol) clients, 395 ... 353 BSD mailbox, 361 communicating with network servers, 344 ... 71 update mode, 80 File system services, 102 ... www.awprofessional.com/content/ images/0321112547/index/mertzindex.pdf - Similar pages

Ca programming language designed by Dennis Ritchie during the ...

File Format: Unrecognized - View as HTML

... to digital signals for transmission and reconvert signals upon ... data From Debian 3.0r0 APT comtenvt convert C++ comments ... foo[5])()" It can also translate the C ... cysview.tldp.org/index.cqi/*checkout*/ LDP/quide/docbook/Linux-Dictionary/edC.xml?rev=1.3 - Supplemental Result - Similar pages

The Linux Home Page in the UK

... to digital signals for transmission and reconvert signals upon ... convert C++ comments to C comments From whatis. ... as "int (*foo[5])()" It can also translate the C ... linux.co.uk/manuals/dictionary/c.html - Similar pages

IPSI Python Library Reference

File Format: Adobe PostScript - View as Text ... 214 11.9 smtplib -- SMTP protocol client 221 11.12 SocketServer -- A framework for network servers. ... 248 12.12 binascii -- Convert between binary and ascii shamir.ebizlab.hit.bme.hu/ docs/programming/Python/psdoc/lib.ps - Similar pages

[PS] Linux Dictionary Version 0.12 Author: Binh Nguyen

File Format: Adobe PostScript - View as Text

... programs 'abc2midi' and 'midi2abc', which convert from the ... as well as the underlying network evidence (eg ... based ontime, sensor, signature, protocol, IP address ... public.planetmirror.com/pub/ldp/ LDP/Linux-Dictionary/Linux-Dictionary.ps.gz - Supplemental Result -Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 5 already displayed.

If you like, you can repeat the search with the omitted results included.

Free! Get the Google Toolbar. Download Now - About Toolbar




convert reconvert translate transford



Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u> ©2004 Google



Web

Your search - (convert reconvert transsate transform) file system http ftp daterange:2449718-2451704 - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Also, you can try Google Answers for expert help with your search.

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2004 Google